

TOUGH GUN® TA3 Robotic Air-Cooled MIG Gun Cross Reference Configurations for FANUC® Robots



- [22 Degree Necks – Solid Mount](#)
- [22 Degree Necks – Solid Mount with Wire Brake](#)
- [45 Degree Necks – Solid Mount](#)
- [45 Degree Necks – Solid Mount with Wire Brake](#)









22 Degree Neck – Solid Mount

TOUGH GUN ThruArm G2 Series	TOUGH GUN TA3 MIG Gun
59G22 	405-22QC
59G22L 	405-22QCL
59G22L1 	405-22QCL1












22 Degree Neck – Solid Mount with Wire Brake

TOUGH GUN ThruArm G2 Series	Direct Replacement	TOUGH GUN TA3 MIG Gun
59G22 	405-FW22 	405-22QC
59G22L 	N/A	405-22QCL
59G22L1 	N/A	405-22QCL1

45 Degree Neck – Solid Mount

TOUGH GUN ThruArm G2 Series	TOUGH GUN TA3 MIG Gun
<p data-bbox="467 212 537 233">59G45</p>  <p data-bbox="423 359 448 380">100</p> <p data-bbox="467 401 492 422">15</p> <p data-bbox="586 464 626 485">341</p>	<p data-bbox="1068 212 1154 233">405-45QC</p>  <p data-bbox="1040 359 1065 380">100</p> <p data-bbox="1084 401 1109 422">15</p> <p data-bbox="1219 464 1260 485">338</p>
<p data-bbox="467 495 537 516">59G45L</p>  <p data-bbox="375 653 399 674">120</p> <p data-bbox="418 695 443 716">15</p> <p data-bbox="570 758 610 779">387</p>	<p data-bbox="1068 495 1154 516">405-45QCL</p>  <p data-bbox="992 653 1016 674">120</p> <p data-bbox="1036 695 1060 716">15</p> <p data-bbox="1187 758 1227 779">385</p>
<p data-bbox="467 800 537 821">59G45L1</p>  <p data-bbox="318 957 342 978">120</p> <p data-bbox="362 999 386 1020">15</p> <p data-bbox="529 1062 570 1083">443</p>	<p data-bbox="1068 800 1154 821">405-45QCL1</p>  <p data-bbox="935 957 959 978">120</p> <p data-bbox="979 999 1003 1020">15</p> <p data-bbox="1162 1062 1203 1083">440</p>
<p data-bbox="467 1104 537 1125">59G45L2</p>  <p data-bbox="269 1262 293 1283">120</p> <p data-bbox="313 1304 337 1325">15</p> <p data-bbox="513 1367 553 1388">493</p>	<p data-bbox="1068 1104 1154 1125">405-45QCL2</p>  <p data-bbox="902 1262 927 1283">120</p> <p data-bbox="946 1304 971 1325">15</p> <p data-bbox="1130 1367 1170 1388">490</p>

45 Degree Neck – Solid Mount with Wire Brake

TOUGH GUN ThruArm G2 Series	Direct Replacement	TOUGH GUN TA3 MIG Gun
<p style="text-align: center;">59G45</p> 	<p style="text-align: center;">405-FW45</p> 	<p style="text-align: center;">405-45QC</p> 
<p style="text-align: center;">59G45L</p> 	<p style="text-align: center;">405-FW45L</p> 	<p style="text-align: center;">405-45QCL</p> 
<p style="text-align: center;">59G45L1</p> 	<p style="text-align: center;">405-FW45L1</p> 	<p style="text-align: center;">405-45QCL1</p> 
<p style="text-align: center;">59G45L2</p> 	<p style="text-align: center;">405-FW45L2</p> 	<p style="text-align: center;">405-45QCL2</p> 